




SECTIUNE LONGITUDINALA A-A  
sc 1:100




VEDERE B-B  
sc 1:100




VEDERE D-D  
Sc 1:100



DETALIU FUNDATIE  
sc 1:20



DETALIU DREN  
sc 1:50



Elementele prefabricate se vor îmbina cu mortar M100

|  |  |             |  |
|--|--|-------------|--|
| CERINTE MINIME DE ASIGURARE A DURABILITATII PENTRU BETON<br>CONFORM CP012/1-2007 (SREN 206-1/2002) |  |             |  |
| CLASA DE BETON   | C20/25   | C35/45      |  |
| CLASA DE EXPUNERE  | XC2  | XC4+XD3+XF4 |  |
| RAPORT A/C (max)   | 0.60   | 0.45        |  |
| DOZAJ MINIM DE CIMENT  | 260  | 340         |  |
| TIP CIMENT   | CEM I, SR I, CD40, IA 52.5C, CEM III<br>CEM II-A-L, CEM II-HIA-S,<br>CEM II-MA-SD, ST, SL, DT, DLL, TLL,<br>CEM II-MB-SD, ST, DT |             |  |

|  |                      |   |  |   |                     |
|--|----------------------|---|--|---|---------------------|
| VERIFICARE   | NUME SI PRENUME      | SEMNATURA   | CERINTA  | NR. REFERAT   |                     |
| VERIFICATOR  | Ing. F. Padure       |  | A4,B2,D  | REFERAT NR. 84/29.04.2014   |                     |
|  <div>S.C. EXPERT PROIECT 2002 S.R.L.<br/>BUCURESTI</div> |                      |   |  <div>BENEFICIAR:<br/>CONSILIUL JUDEȚEAN IALOMIȚA</div> | <div>PROIECT NR.<br/>P 301</div>  |                     |
| PROIECTAT  | Ing. Anca Gheorghiu  |  | SCARA<br>1:100<br>1:50<br>1:20   | MODERNIZARE DRUM JUDEȚEAN DJ 313,<br>Km 22+607 – Km 35+087,<br>JLM. JUDET CALARASI – ADAMTELE, JUDETUL IALOMIȚA | FAZA:<br>P.Th.+D.E. |
| VERIFICAT  | Ing. Silviu Bratosin |  |  | DETALIU REALIZARE PODET<br>TUBULAR Ø1000  |                     |
| SEF LUCRARE  | Ing. Florian Pasare  |  | 2014   |   | DE-03               |